APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/772,176	01/29/2001	James A. Proctor JR.	TAN-2-1508.01.US	1093

24374　　　　　7590　　　　03/29/2011
VOLPE AND KOENIG, P.C.
DEPT. ICC
UNITED PLAZA
30 SOUTH 17TH STREET
PHILADELPHIA, PA 19103

EXAMINER
BURD, KEVIN MICHAEL

ART UNIT	PAPER NUMBER
2611	

NOTIFICATION DATE	DELIVERY MODE
03/29/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

eoffice@volpe-koenig.com

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS,
WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _07 March 2011_.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1,2,5-14,16,17,19,21,22,25-36,39 and 42_ is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1,2,5-14,16,17,19,21,22,25-36,39 and 42_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☐ All b)☐ Some * c)☐ None of:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

1.   This office action, in response to the amendment filed 3/7/2011, is a final office

action.

Response to Arguments

2.   Applicant has amended the claims to overcome the previous rejections under 35

USC 112, second paragraph and 35 USC 101. Those rejections are withdrawn.

3.   Applicant's arguments filed 3/7/2011 have been fully considered but they are not

persuasive. Applicant stresses that Kong does not disclose detecting a movement.

Applicant provides an example that, at the time the SNR was measured, the user may

have been sitting stationary in a coffee shop one mile from the base station, while at the

previous time that the SNR was measured, the user may have been sitting stationary in

his home a quarter mile from the base station. However, in applicant's example, Kong

will still detect a movement since Kong will detect the change in the distance the mobile

has traveled in the time period between the measurements. This detecting of the

distance is the act, process or result of changing place or position. This is the definition

of movement. Kong discloses determining when the channel SNR has been reduced

due to an increased distance between a mobile station and a base station in column 2,

lines 9-13. This measurement of increased distance between the stations that is

determined for a time period is a detected movement of the mobile relative to the base

station.

For these reasons and the reasons stated in the previous office action, the rejections of the claims are maintained.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4.   Claims 1, 2, 11-14, 16, 17, 19, 21, 22, 31-36, 39 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kong et al (US 6,700,881) in view of Bucher (US 5,621,737).

Regarding claims 1, 2 and 19, Kong discloses a CDMA communication system. The receiver detects when the distance between the base station and the mobile station increases (column 2, lines 9-13). A reduction of the SNR and a corresponding increase in the BER detects this amount of motion of the communication device (column 2, lines 3-25). When the distance between the base station and the mobile station increases, the transmission device will compensate by increasing the transmission power or performing a pertinent compensation (column 2, lines 14-19). Lowering of the FEC or coding rate would be a pertinent compensation (column 3, lines 3-26). Kong does not explicitly disclose how the BER or SNR is determined. Therefore, Kong does not disclose a measurement of a metric of the modulated signal attribute comprising at least one of amplitude, phase and frequency. Bucher discloses a BER estimation circuit 36,

which determines a value responsive to error magnitudes occurring over several

symbols (column 4, lines 22-23). It will be appreciated that errors may be phase errors,

magnitude errors or a combination of both (column 4, lines 31-34). Therefore, the BER

measurement determines the phase and/or magnitude errors of the received signal.

Bucher discloses determining the error between the I and Q components of the received

signal as compared to an ideal or expected amplitude. This is shown in figure 4. Points

44 and 46 are different points than the ideal or expected value indicated by an X in

figure 4. The difference or error is represented by an I component 45 (or 50) and a Q

component 52 (or 54). This is also described in column 4, line 60 to column 5, line 4.

This section describes the magnitude error identifier generating a value representing the

I component of the difference between the actual phase relationship and the theoretical

ideal relationship and likewise for the Q component. Therefore, the "whole" of the signal,

both the I and Q component of the signal sampled at that moment, is used. Figure 4

shows the corresponding circuitry for determining both of the I and Q components in

blocks 40 and 42. The theoretical ideal is a calculation and not a portion of the received

signal. It would have been obvious for one of ordinary skill in the art at the time of the

invention to provide this simple substitution of the BER estimator of Bucher for the BER

estimator of Kong. These components will operate in substantially the same manner

and will yield the same results.

Regarding claims 11-13, the combination of Kong and Bucher discloses the

method stated above. MPEP 2111.04 discloses claim scope is not limited by steps that

suggests or makes optional but does not require steps to be performed. Calculating the

metric based on a frequency error signal as recited in these dependent claims are
optional limitations since different modulated signal attributes are met by the reference.

Regarding claim 14, Kong discloses changes to the BER and SNR are
determined and power increases and changes to the FEC or coding rate take place
when necessary.

Regarding claims 16 and 17, the combination of Kong and Bucher discloses the
method stated above. MPEP 2111.04 discloses claim scope is not limited by steps that
suggests or makes optional but does not require steps to be performed. Selecting the
parameter adjustment of an antenna mode as recited in these dependent claims are
optional limitations since different parameter adjustments are met by the reference.

Regarding claims 21, 22, 39 and 42, Kong discloses a CDMA communication
system. The receiver detects when the distance between the base station and the
mobile station increases (column 2, lines 9-13). A reduction of the SNR and a
corresponding increase in the BER detects this amount of motion of the communication
device (column 2, lines 3-25). When the distance between the base station and the
mobile station increases, the transmission device will compensate by performing a
pertinent compensation (column 2, lines 14-19). Lowering of the FEC or coding rate
would be the pertinent compensation (column 3, lines 3-26). Kong does not explicitly
disclose how the BER or SNR is determined. Therefore, Kong does not disclose a
measurement of a metric of the modulated signal attribute comprising at least one of
amplitude, phase and frequency. Bucher discloses a BER estimation circuit 36, which
determines a value responsive to error magnitudes occurring over several symbols

(column 4, lines 22-23). It will be appreciated that errors may be phase errors,

magnitude errors or a combination of both (column 4, lines 31-34). Therefore, the BER

measurement determines the phase and/or magnitude errors of the received signal.

Bucher discloses determining the error between the I and Q components of the received

signal as compared to an ideal or expected amplitude. This is shown in figure 4. Points

44 and 46 are different points than the ideal or expected value indicated by an X in

figure 4. The difference or error is represented by an I component 45 (or 50) and a Q

component 52 (or 54). This is also described in column 4, line 60 to column 5, line 4.

This section describes the magnitude error identifier generating a value representing the

I component of the difference between the actual phase relationship and the theoretical

ideal relationship and likewise for the Q component. Therefore, the "whole" of the signal,

both the I and Q component of the signal sampled at that moment, is used. Figure 4

shows the corresponding circuitry for determining both of the I and Q components in

blocks 40 and 42. The theoretical ideal is a calculation and not a portion of the received

signal. It would have been obvious for one of ordinary skill in the art at the time of the

invention to provide this simple substitution of the BER estimator of Bucher for the BER

estimator of Kong. These components will operate in substantially the same manner

and will yield the same results.

Regarding claims 31-33, the combination of Kong and Bucher discloses the

method stated above. MPEP 2111.04 discloses claim scope is not limited by steps that

suggests or makes optional but does not require steps to be performed. Calculating the

metric based on a frequency error signal as recited in these dependent claims are optional limitations since different modulated signal attributes are met by the reference.

Regarding claim 34, Kong discloses changes to the BER and SNR are determined and power increases and changes to the FEC or coding rate take place when necessary.

Regarding claims 35 and 36, the combination of Kong and Bucher discloses the method stated above. MPEP 2111.04 discloses claim scope is not limited by steps that suggests or makes optional but does not require steps to be performed. Selecting the parameter adjustment of an antenna mode as recited in these dependent claims are optional limitations since different parameter adjustments are met by the reference.

5.   Claims 5-7 and 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kong et al (US 6,700,881) in view of Bucher (US 5,621,737) further in view of Watanabe (US 2001/0041584).

Regarding claims 5-7 and 25-27, the combination of Kong and Bucher discloses the method and apparatus discloses above. The combination does not disclose an automatic gain control loop is found in the receiver. Watanabe discloses a CDMA receiver that includes the AGC amplifier 37A in figure 1. The AGC amplifier is provided for amplifying the received signal to a desired signal level, in which its gain may automatically be controlled to optimum so that its received power may become as minimal as necessary depending on the distance from the base station (paragraph 0066). Therefore, the receiver will increase the received signal level as the distance

between the receiver and the base station increases so the signal can be received and
processed correctly. This variable gain control will further minimize errors in the
received signal. For these reasons, it would have been obvious for one of ordinary skill
in the art at the time of the invention to combine the AGC amplifier of Watanabe into the
receiver and method of the combination of Kong and Bucher.

6.   Claims 8-10 and 28-30 are rejected under 35 U.S.C. 103(a) as being
unpatentable over Kong et al (US 6,700,881) in view of Bucher (US 5,621,737) further
in view of Ryu (US 6,430,244).

        Regarding claims 8-10 and 28-30, the combination of Kong and Bucher discloses
the method and apparatus discloses above. The combination does not disclose the
phase errors are produced by a delay locked loop. Ryu discloses a digital phase locked
loop. The PLL will lock the received signal with a delayed version of a feedback signal
by altering the feedback signal's phase as shown in figure 3. The PLL circuit includes a
phase comparator for detecting phase errors of the input signal and a feedback signal
(abstract). The PLL is a typical method of detecting phase errors from a received signal
and an expected signal. The PLL is a well known, simple and cost effective method of
determining and correcting phase errors in a received signal. For these reasons, it
would have been obvious for one of ordinary skill in the art at the time of the invention to
combine the method of determining the phase errors of Ryu into the method and
receiver of the combination of Kong and Bucher.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Kevin M. Burd whose telephone number is (571) 272-

3008. The examiner can normally be reached on Monday - Friday 9 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, David C. Payne can be reached on (571) 272-3024. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kevin M. Burd/
Primary Examiner, Art Unit 2611
3/23/2011